

THE PERFECT PRODUCT DESERVES A PERFECT FILMWRAP

The Sollas SE is a high quality overwrapping machine that comes at an affordable price. This allows the purchase of an original Sollas machine without compromises on the quality, flexibility, and reliability that Sollas is known for.



Overwrapping





Your benefits

- ► Siemens industry 4.0-ready
- ▶ High-quality and reliable overwrapping machine
- ► Trailing edge seal: no seal on display side
- Attractive and tight packaging, ensuring protection of products and exquisite product presentation to give first-user guarantee to costumers
- ▶ Production speed: up to 40/min
- ▶ Reliable cam driven movements combined with a servo-hybrid system
- ► Suitable to use with environmental-friendly packaging materials, such as BOPLA, paper, and/or BOPP
- ► Easy and accessible machine at one level
- ▶ Quick and easy product change-over
- Flexible product size range to allow the processing of several different products
- Optional accessories, such as a tear-tape for easy opening

Options

- ► Teartape for easy opening
- ► Printmark registration
- ► Executed in felt for contact surfaces (parfume/cosmetics)
- ► Spot/bar seal (parfume/cosmetics
- ► Universal foldingstreet
- ► Individual Product Transfer-systeem (IPT)
- ► Manual or automatic feed


Technical details


Main specs

Max output ¹	25/40 /min
Min product size (mm) ²	L 45 (35) W 40 (35) H 16 (7)
Max product size (mm) ²	L 300 (336) W 200 (240) H 96 (125/140)
Film width range	60 - 420 mm
Film-roll diameter max	320 mm
Air consumption	4 nl / stroke ³
Working pressure	6 bar
Power consumption	2,5 kW³
Machine approx. weight	850 kg
Machine color	RAL 9006 (Sollas grey)
Drive system	Cam driven
Control system	PLC (Standard SIEMENS, Rockwell or Allen Bradley optional)
Configuration	HL / HR
Packaging materials ⁴	Polypropyleen, coated paper, recyclable BOPP en biodegradable BOPLA


¹Depending on product and packaging material. ²Numbers within brackets indication optional changes. Without accesoires. ⁴In general, all common heat-sealable packaging materials can be used. When in doubt, Sollas will gladly test any material that you which to use.

Dimensions






Sollas signature folding




Product dimension specification



Conveyor configurations







Sollas is a family-owned Dutch company. From our head office in Wormer, we coordinate all our national and international activities. Branch offices are to be found in France, Germany and United Kingdom. Backed by an international network of some 50 agents and distributors worldwide, we provide sound after- sales care and support.



Headquarters

Sollas Holland BV, Bruynvisweg 1 1531AX Wormer, The Netherlands contact@sollas.com



